

Find the interval of convergence of the series



- 1. (-1,1)4. $(-\infty,\infty)$ 2. [-1,1]5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

Find the interval of convergence of the series



- 1. (-1,1) 4. $(-\infty,\infty)$
- 2. [-1,1] 5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

1. (-1, 1)

Find the interval of convergence of the series

$$\sum_{n=1}^{\infty} \frac{(-1)^{n-1} x^n}{n^3}$$

- 1. (-1,1) 4. $(-\infty,\infty)$
- 2. [-1,1] 5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

Find the interval of convergence of the series

$$\sum_{n=1}^{\infty} \frac{(-1)^{n-1} x^n}{n^3}$$

- 1. (-1,1) 4. $(-\infty,\infty)$
- 2. [-1,1] 5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

2. [-1, 1]

Find the interval of convergence of the series

$$\sum_{n=1}^{\infty} \frac{x^{2n}}{n(\ln n)^2}$$

- 1. (-1,1) 4. $(-\infty,\infty)$
- 2. [-1,1] 5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

Find the interval of convergence of the series

$$\sum_{n=1}^{\infty} \frac{x^{2n}}{n(\ln n)^2}$$

- 1. (-1,1) 4. $(-\infty,\infty)$
- 2. [-1,1] 5. (-1/2,1/2)
- 3. (-1/2,1/2] 6. none of the above

2. [-1, 1]